

PVA-20CSE Call station extension

PAVIRO



- ▶ Call station extension keypad with 20 freely programmable buttons
- ▶ Soft-touch selection buttons
- ▶ Up to 5 extension keypads can be connected to one call station
- ▶ EN 54-16 system certification


The PVA-20CSE is a call station extension for the PAVIRO system.

The call station extension has 20 customizable selection buttons. A maximum of five call station extensions can be installed on one call station.


Other properties:

- Two indicator lights (green/red) per button
- Label with transparent covering - the label can be changed at any time
- Can be used as a standing or desk/rack flush-mounted device
- Internal monitoring with error logging - complying with all relevant national and international standards
- Easy configuration - use of IRIS-Net software

System overview



1 Selection buttons



- 1 EXT OUT ports
- 2 DIP switch for address selection

Certifications and approvals

Emergency standard certifications

Europe	EN 54-16
--------	----------

Emergency standard compliance

UK	BS 5839-8
Austria	ÖNORM F 3033

Environmental directive compliance

Safety	EN 62368-1
Immunity	EN 50130-4
Emissions	EN 61000-6-3 ICES-003 FCC-47 part 15B class A
Environment	EN 50581
Maritime	EN 60945

Conformity

Europe	CE/CPR
USA	FCC
Canada	ICES

Conformity

Australia	RCM
Korea	KCC
Russian Federation	EAC
Environment	RoHS

Parts included

Quantity	Component
1	PVA-20CSE
1	6-pin connecting cable
1	Connecting plate
1	Connecting holder
6	Screw (self-tapping)
1	Label template
1	Technical information

Technical specifications

Electrical

Buttons	20 programmable zone/function keys
Indicator lights	Green and red LED per programmable zone/function key

Mechanical

Product dimensions (Height x Width x Depth)	163 mm x 140 mm x 63 mm
Net weight	0.35 kg
Color	RAL 9017 (traffic black)

Environmental

Operating temperature	-5 °C to +45 °C (+23 °F to +113 °F)
Storage and transport temperature	-25 °C to +70 °C (-13 °F to +158 °F)
Humidity (non-condensing)	5% to 90%
Altitude	Up to 2000 m




Fig. 1: Dimensions

Ordering information

PVA-20CSE Call station extension
 Call station extension for the PAVIRO system; has 20 customizable selection buttons.
 Order number **PVA-20CSE | F.01U.298.723**

Services
EWE-CLSBAS-IW 12 mths wrty ext. Call Station basic
 12 months warranty extension
 Order number **EWE-CLSBAS-IW | F.01U.360.680**

Represented by:

Europe, Middle East, Africa:
 Bosch Security Systems B.V.
 P.O. Box 80002
 5600 JB Eindhoven, The Netherlands
 Phone: + 31 40 2577 284
 emea.securitysystems@bosch.com
 emea.boschsecurity.com

Germany:
 Bosch Sicherheitssysteme GmbH
 Robert-Bosch-Ring 5
 85630 Grasbrunn
 Germany
 www.boschsecurity.com

North America:
 Bosch Security Systems, LLC
 130 Perinton Parkway
 Fairport, New York, 14450, USA
 Phone: +1 800 289 0096
 Fax: +1 585 223 9180
 onlinehelp@us.bosch.com
 www.boschsecurity.us

Asia-Pacific:
 Robert Bosch (SEA) Pte Ltd, Security Systems
 11 Bishan Street 21
 Singapore 573943
 Phone: +65 6571 2808
 Fax: +65 6571 2699
 apr.securitysystems@bosch.com
 www.boschsecurity.asia